



**PROCEDURA APERTA PER L'ACQUISIZIONE DI SERVIZI DI ASSISTENZA,  
MANUTENZIONE ED EVOLUZIONE DEGLI IMPIANTI PER LE SEDUTE E GLI EVENTI  
ISTITUZIONALI DELL'ASSEMBLEA LEGISLATIVA DELLA REGIONE EMILIA-  
ROMAGNA 2**

**ALLEGATO 3.1 AL CAPITOLATO TECNICO  
SERVIZI DI INTEGRAZIONE DI DEMETRA**

## WS ServizioSedute

WS richiamato per acquisire da Demetra i dati sulle sedute e sugli oggetti.

```
<?xml version="1.0" encoding="utf-8"?>
<wsdl:definitions name="ServizioSedute" targetNamespace="http://tempuri.org/" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-
wss-wssecurity-utility-1.0.xsd" xmlns:wsa10="http://www.w3.org/2005/08/addressing"
xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"
xmlns:wsap="http://schemas.xmlsoap.org/ws/2004/08/addressing/policy"
xmlns:msc="http://schemas.microsoft.com/ws/2005/12/wsdl/contract"
xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/" xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:wsam="http://www.w3.org/2007/05/addressing/metadata" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:tns="http://tempuri.org/" xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl" xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/">
  <wsdl:types>
    <xsd:schema targetNamespace="http://tempuri.org/Imports">
      <xsd:import schemaLocation="https://certificatiws.regione.emilia-
romagna.it/webservices/wssedute/ServizioSedute.svc?xsd=xsd0" namespace="http://tempuri.org/">
      <xsd:import schemaLocation="https://certificatiws.regione.emilia-
romagna.it/webservices/wssedute/ServizioSedute.svc?xsd=xsd1"
namespace="http://schemas.microsoft.com/2003/10/Serialization/">
      <xsd:import schemaLocation="https://certificatiws.regione.emilia-
romagna.it/webservices/wssedute/ServizioSedute.svc?xsd=xsd2"
namespace="http://schemas.datacontract.org/2004/07/WSSedute.WcfService.DataContracts"/>
    </xsd:schema>
  </wsdl:types>
  <wsdl:message name="IServizioSedute_GetConvocazioneAula_InputMessage">
    <wsdl:part name="parameters" element="tns:GetConvocazioneAula"/>
  </wsdl:message>
  <wsdl:message name="IServizioSedute_GetConvocazioneAula_OutputMessage">
    <wsdl:part name="parameters" element="tns:GetConvocazioneAulaResponse"/>
  </wsdl:message>
  <wsdl:message name="IServizioSedute_GetConvocazioneAula_StringFault_FaultMessage">
    <wsdl:part name="detail" element="q1:string"
xmlns:q1="http://schemas.microsoft.com/2003/10/Serialization"/>
  </wsdl:message>
  <wsdl:message name="IServizioSedute_GetOggetto_InputMessage">
    <wsdl:part name="parameters" element="tns:GetOggetto"/>
  </wsdl:message>
  <wsdl:message name="IServizioSedute_GetOggetto_OutputMessage">
    <wsdl:part name="parameters" element="tns:GetOggettoResponse"/>
  </wsdl:message>
  <wsdl:message name="IServizioSedute_GetOggetto_StringFault_FaultMessage">
    <wsdl:part name="detail" element="q2:string"
xmlns:q2="http://schemas.microsoft.com/2003/10/Serialization"/>
  </wsdl:message>
  <wsdl:portType name="IServizioSedute">
    <wsdl:operation name="GetConvocazioneAula">
      <wsdl:input wsaw:Action="http://tempuri.org/IServizioSedute/GetConvocazioneAula"
message="tns:IServizioSedute_GetConvocazioneAula_InputMessage"/>
      <wsdl:output wsaw:Action="http://tempuri.org/IServizioSedute/GetConvocazioneAulaResponse"
message="tns:IServizioSedute_GetConvocazioneAula_OutputMessage"/>
      <wsdl:fault wsaw:Action="http://tempuri.org/IServizioSedute/GetConvocazioneAulaStringFault"
name="StringFault" message="tns:IServizioSedute_GetConvocazioneAula_StringFault_FaultMessage"/>
    </wsdl:operation>
    <wsdl:operation name="GetOggetto">
```

```

                <wsdl:input                                wsaw:Action="http://tempuri.org/IServizioSedute/GetOggetto"
message="tns:IServizioSedute_GetOggetto_InputMessage"/>
                <wsdl:output                            wsaw:Action="http://tempuri.org/IServizioSedute/GetOggettoResponse"
message="tns:IServizioSedute_GetOggetto_OutputMessage"/>
                <wsdl:fault                            wsaw:Action="http://tempuri.org/IServizioSedute/GetOggettoStringFault"
name="StringFault" message="tns:IServizioSedute_GetOggetto_StringFault_FaultMessage"/>
            </wsdl:operation>
        </wsdl:portType>
    </wsdl:service name="ServizioSedute"/>
</wsdl:definitions>

```

## WS ServizioSeduteSvolte

richiamato per inviare a Demetra tutti i dati salvati dopo le discussioni

```

<?xml version="1.0" encoding="utf-8"?>
<wsdl:definitions                                name="ServizioSeduteSvolte"                targetNamespace="http://tempuri.org/"
xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"                xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex"
xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd"
xmlns:wsa10="http://www.w3.org/2005/08/addressing"                xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"
xmlns:wsap="http://schemas.xmlsoap.org/ws/2004/08/addressing/policy"
xmlns:msc="http://schemas.microsoft.com/ws/2005/12/wsdl/contract"
xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/"                xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing"
xmlns:wsam="http://www.w3.org/2007/05/addressing/metadata"                xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:tns="http://tempuri.org/"                xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"                xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/">
    <wsdl:types>
        <xsd:schema targetNamespace="http://tempuri.org/Imports">
            <xsd:import                                schemaLocation="https://certificatiws.regione.emilia-romagna.it/webservices/wssedute/ServizioSeduteSvolte.svc?xsd=xsd1" namespace="http://tempuri.org"/>
            <xsd:import                                schemaLocation="https://certificatiws.regione.emilia-romagna.it/webservices/wssedute/ServizioSeduteSvolte.svc?xsd=xsd2" namespace="http://schemas.microsoft.com/2003/10/Serialization"/>
            <xsd:import                                schemaLocation="https://certificatiws.regione.emilia-romagna.it/webservices/wssedute/ServizioSeduteSvolte.svc?xsd=xsd0" namespace="http://schemas.microsoft.com/Message"/>
        </xsd:schema>
    </wsdl:types>
    <wsdl:message name="IServizioSeduteSvolte_DatiSeduta_InputMessage">
        <wsdl:part name="parameters" element="tns:DatiSeduta"/>
    </wsdl:message>
    <wsdl:message name="IServizioSeduteSvolte_DatiSeduta_OutputMessage">
        <wsdl:part name="parameters" element="tns:DatiSedutaResponse"/>
    </wsdl:message>
    <wsdl:message name="IServizioSeduteSvolte_DatiSeduta_StringFault_FaultMessage">
        <wsdl:part                                name="detail"                                element="q1:string"
xmlns:q1="http://schemas.microsoft.com/2003/10/Serialization"/>
    </wsdl:message>
    <wsdl:portType name="IServizioSeduteSvolte">
        <wsdl:operation name="DatiSeduta">
            <wsdl:input                                wsaw:Action="http://tempuri.org/IServizioSeduteSvolte/DatiSeduta"
message="tns:IServizioSeduteSvolte_DatiSeduta_InputMessage"/>
            <wsdl:output                            wsaw:Action="http://tempuri.org/IServizioSeduteSvolte/DatiSedutaResponse"
message="tns:IServizioSeduteSvolte_DatiSeduta_OutputMessage"/>
            <wsdl:fault                            wsaw:Action="http://tempuri.org/IServizioSeduteSvolte/DatiSedutaStringFault"
name="StringFault" message="tns:IServizioSeduteSvolte_DatiSeduta_StringFault_FaultMessage"/>
        </wsdl:operation>
    </wsdl:portType>

```

```
        </wsdl:operation>
    </wsdl:portType>
    <wsdl:service name="ServizioSeduteSvolte"/>
</wsdl:definitions>
```